

Product Overview

Wood Wash is a liquid concentrate for cleaning all exterior wood surfaces. Exterior wood surfaces are a settling ground for dust, pollen and other airborne contaminants that dull the surface and encourage mold growth. A light cleaning once or twice a year will keep your wood looking beautiful and helps prolong the life of the exterior wood finish. Wood Wash removes dirt, dust, grime, pollen and surface mold and mildew without harming the wood or the finish.

Characteristics

- Appearance: **clear liquid**
- Odor: **low**
- Form: **liquid**
- pH: **approx. 2.0**
- Viscosity: **5CPS**
- VOC: **(less water) 0**
- Freezing point: **0°C (31°F)**
- Diluent: **water**
- Cleanup: **soap & water**

Features

- Biodegradable
- Non-flammable
- Regular washing greatly increases the longevity of wood finishes

Application

Use on new and old wood surfaces such as decks, fences, siding, logs, and timbers.

Packaging

1 gallon jug, plastic recyclable containers

Application Methods

Brush, scrub brush, roller and pump sprayer

Dilution (10:1)

1 gal. Wood Wash: 10 gal. of water. 11 gal. of premixed solution will clean approximately 1000–2000 sq.ft.

1.5 cups Wood Wash: 1 gal. of water. 1 gal. of premixed solution will clean approximately 100–200 sq.ft.

Preparation

- Preparation is critical to a successful project.
- Spray vegetation with water or shield off before and after application.
- Protect all border areas with drop sheets and/or tape off with poly all areas not being cleaned.
- Do not allow this product to contact metal, fabric, floor coverings or outdoor furniture.
- Keep children and pets away from work area.

Working Procedure

- Vigorously shake jug to ensure an even mixture.
- Apply liberally from bottom up.
- Wash wall from top down.
- DO NOT let Wood Wash dry, mist with water to keep active.
- Test effectiveness on an inconspicuous area.
- DO NOT apply below 5°C or above 25°C.
- Saturate the wood surface to achieve the required coverage.
- Agitate with soft bristle brush.
- Thoroughly rinse with pressure washer or garden hose.
- Re-apply as necessary.

Cleaning and Supplies

- Clean all application equipment with warm soapy water.
- Store at a temperature of between 10°C–30°C (50°F–86°F).
- Keep containers tightly closed. Protect from freezing.
- Dispose according to local, provincial or federal requirements.
If available, recycle at the local paint recycling depot.

Limited Warranty

The purchaser of this product manufactured by CBR Products (a division of Canadian Building Restoration Products Inc.) shall be entitled to the following, if the product herein is shown to be defective when applied following directions for use found on this label: The only obligation of the manufacturer and seller shall be to replace such quantity of CBR product that is proven to be defective. Proof of purchase is required. Seller or manufacturer shall not be liable for any loss or damage connected with the use and/or handling of this product. All labor costs are specifically excluded. Buyer assumes all risk of use and/or handling of this material. No other warranties are made, expressed or implied, including, without limitation, warranties as to the merchantability or fitness for any particular purpose. This limited warranty may not be modified or extended by manufacturer's representatives, distributors or dealers of CBR Products' products.

Warning to Users

Keep out of reach of children, if swallowed immediately drink two glasses of milk or warm water. Do not induce vomiting. Call physician immediately. Avoid contact with skin or eyes; flush with soap and water. Avoid breathing of vapor or mist. Wear a properly fitted NIOSH/MSHA approved respirator. The information contained in this document is given in good faith based on our current knowledge. The use of the product is beyond the control of CBR Products and no guarantees, expressed or implied, is made as to the result to be obtained if not used in accordance with the published Directions for Use. CBR Products does not assume any legal responsibility for use or reliance on same. This information must on no account be used as a substitute for necessary field tests, which alone can ensure that the product is suitable for the expected use. Before using any product, read its label.